

In the Claims:

5 Amend the claims as follows:

1. (Currently amended) A method Method in a mobile telecommunication network for obtaining location and time information about users, the telecommunication network comprising one or more user terminals, a service entity, a  
10 time-stamp server and an operator, the method comprising the following steps:

a) creating a digital image content of the user disposed at a location at a certain time,

b) storing the digital image content in a user terminal disposed at the location at the certain time,

c) retrieving location data of the location from the user terminal,

d) the user creating a digital signature of the user by digitally signing the location data of the location in the  
20 user terminal,

e) distributing ~~ef~~ a signed combination of the digital content image and the signed location data to a trusted third party for time-stamping, and

f) the trusted third-party time-stamping the signed combination with a time stamp to prove that the user was present at the location at the time of the time stamp.

25 2. (Previously amended) The method according to claim 1 wherein the digital signing is performed after step c), and  
30 whereafter the combination of signed content and location data is time-stamped.

35 3. (Currently amended) The method according to claim 1 wherein the digital image content is created in step a) is a text file or a voice message.

4. (Currently amended) The method according to claim 1 wherein the digital content image is created in step a) by taking a picture with a digital camera.

5

5. (Previously amended) The method of claim 4 wherein the digital camera is linked with a mobile device that directly receives the picture.

10 6. (Previously amended) The method of claim 4 wherein the digital camera is a separate network element and the picture taken by the digital camera is downloaded to a work-station and thereafter sent to a mobile station.

15 7. (Previously amended) The method according to claim 1 wherein the digital signature is performed in step c) with a user's private key stored in the user terminal.

20 8. (Previously amended) The method according to claim 7 wherein a PIN code is entered by the user to access the private key.

25 9. (Previously amended) The method according to claim 1 wherein location data is retrieved from the user terminal during a signature process as an attribute, which is separately signed.

30 10. (Previously amended) The method according to claim 1 wherein the location data is translated to understandable geographical data before the location data are signed.

11. (Previously amended) The method according to claim 1 wherein the signed combination is distributed to a work-station for time-stamping.

12. (Previously amended) The method according to claim 1 wherein the location data is retrieved from the user terminal over-the-air through an application residing in a workstation.